

Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	ZINC SULPHATE	
Product number	6066	
CAS number	7733-02-0	
Reach No:	01-2119474684-27-XXXX	
1.2. Relevant identified uses of the substance or mixture and uses advised against		

Use of the substance or mixture	Industrial use
Uses advised against	No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier	LAPİSCHEM KİMYA SAN. ve TİC. A.Ş.
	Soğanlık Yeni Mh. Aliağa Sk. Bumerang Kartal
	No:8 K:2 D:4 Pk.34880
	Kartal İstanbul - Türkiye
	+ 90 216 599 07 53
	+ 90 216 599 07 54
	info@lapischem.com www.lapischem.com

1.4. Emergency telephone number

National emergency telephone Health Service : 112 Email: director.birmingham.unit@npis.org number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Not Classified	
Acute Tox. 4 - H302, Eye Dam. 1 - H318	
Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed. H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.
Contains	zinc sulphate

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients	
3.2. Mixtures	
zinc sulphate	99,9%
CAS number: 7733-02-0	EC number: 231-793-3
SECTION 4: First aid measures	
4.1. Description of first aid measu	ures
General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin contact	Brush off loose particles from skin. Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

4.2. Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Dust may irritate the respiratory system. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.	
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.	
Skin contact	Prolonged skin contact may cause redness and irritation.	
Eye contact	Causes serious eye dagame.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	-	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release m	ieasures	

6.1. Personal precautions, protective equipment and emergency procedures

waterways, soil or air).

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.
6.2. Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers,



SAFETY DATA SHEET

ZINC SULPHATE

Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Approach the spillage from upwind. Avoid generation and spreading of dust. Small Spillages: Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Large Spillages: Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid handling which leads to dust formation. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	-
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls/Pe	ersonal protection
8.1. Control parameters	
8.2. Exposure controls	
Protective equipment	



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure
	control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Wear a suitable dust mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.
SECTION 9: Physical and chemical properties	
A A A A A A A A A A A A A A A A A A A	

9.1. Information on basic physical and chemical properties	
Appearance	Solid.
Colour	White.
Odour	No characteristic odour.
Odour threshold	Inconclusive data.
рН	No information required.



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

Melting point	No information required.
Initial boiling point and range	No specific test data are available.
Flash point	No information available.
Evaporation rate	No information required.
Evaporation factor	Inconclusive data.
Flammability (solid, gas)	Not relevant.
Upper/lower flammability or explosive limits	Not relevant.
Relative density	No information required.
Solubility(ies)	Slightly soluble in water.
Viscosity	No information required.
Explosive properties	No specific test data are available.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and reacti	vity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous rea	actions
	Possibility of hazardous reactions No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Alkaline agent, temperature and humidity.
10.5. Incompatible materials	
Materials to avoid	Lead, calcium, strontium salts, borax, alkali metal carbonates and hydroxides, silver protein and tannin.
10.6. Hazardous decomposition	products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
SECTION 11: Toxicological infor	mation
11.1. Information on toxicological	effects
Acute toxicity - oral	
Notes (oral LD ₅₀)	Acute Tox. 4 - H302 Harmful if swallowed.
ATE oral (mg/kg)	500.5
Acute toxicity - dermal	



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

Notes (dermal LD50)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Not irritating.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity - sing	le exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - repe STOT - repeated exposure	eated exposure Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Not relevant. Solid.
General information	Dust may irritate the eyes and the respiratory system. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Dust may irritate the respiratory system. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Skin contact	Redness. Irritating to skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Toxicological information on ingra	diente

Toxicological information on ingredients.



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

Zinc Sulphate		
Acute toxicity - ora	al	
ATE oral (mg/kg)	500.0	
SECTION 12: Ecological informat	ion	
12.1. Toxicity		
Toxicity	Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.	
Ecological information on ingredi	ents.	
	Zinc Sulphate	
Acute aquatic toxic	sity	
LE(C)₅₀	$0.1 < L(E)C50 \le 1$	
M factor (Acute)	1	
12.2. Persistence and degradability		
Persistence and degradability	The degradability of the product is not known. Inorganic chemical.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation. Inorganic chemical.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPvB a	ssessment	
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considera	itions	
13.1. Waste treatment methods		
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

SECTION 14: Transport information

General

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

14.1. UN number

UN No. (ADR/RID)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077
UN No. (ADN)	3077

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc sulphate (anhydrous))
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAİNS zinc sulphate (anhydrous))
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAİNS zinc sulphate (anhydrous))
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAİNS zinc sulphate (anhydrous))

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M7
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels



ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant





SAFETY DATA SHEET

ZINC SULPHATE

Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-A, S-F
ADR transport category	90
Emergency Action Code	2Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS None of the ingredients are listed or exempt.

SECTION 16: Other information	
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H302, Eye Dam. 1 - H318, Aquatic Chr. 1 - H410,

Training advice

Read and follow manufacturer's recommendations. Only trained personnel should use this material.



Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (KKDIK) dated 23.06.2017 and numbered 30105

Issued by	Chemical Assessment Specialist:	Bora Şen
	Effective Date: Certificate No & Date: Email: <u>bora@smartchem.com.tr</u>	November 25, 2025 TÜV / 11.49.03 & 2 November 2020
Revision date	01/02/2025	
Revision	5	
Supersedes date	13/10/2021	
SDS number	6066	
Hazard statements in full	H302 Harmful if swallowed. H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.